UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/718,546	11/24/2003	John M. Monk	10030707-1	1273	
	7590 05/29/200 CHNOLOGIES INC.	9	10030707-1 1273  EXAMINER  LEE, BRYAN Y  ART UNIT PAPER NUMBER  2445  NOTIFICATION DATE DELIVERY MODE	IINER	
	INTELLECTUAL PROPERTY ADMINISTRATION, LEGAL DEPT. MS BLDG, E P.O. BOX 7599			LEE, BRYAN Y	
LOVELAND, (			ART UNIT PAPER NUMBER		
			2445		
			NOTIFICATION DATE	DELIVERY MODE	
			05/29/2009	ELECTRONIC	

## Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

IPOPS.LEGAL@agilent.com

	Application No.	Applicant(s)	
	10/718,546	MONK ET AL.	
Office Action Summary	Examiner	Art Unit	
	BRYAN LEE	2445	
The MAILING DATE of this communication appeariod for Reply	ppears on the cover sheet w	vith the correspondence address	
A SHORTENED STATUTORY PERIOD FOR REP WHICHEVER IS LONGER, FROM THE MAILING  - Extensions of time may be available under the provisions of 37 CFR of after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period.  - Failure to reply within the set or extended period for reply will, by state Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUN 1.136(a). In no event, however, may and will apply and will expire SIX (6) MO Late, cause the application to become a	ICATION. I reply be timely filed INTHS from the mailing date of this communic ABANDONED (35 U.S.C. § 133).	
Status			
1) ☐ Responsive to communication(s) filed on 24 2a) ☐ This action is <b>FINAL</b> . 2b) ☐ Th 3) ☐ Since this application is in condition for allow closed in accordance with the practice under	nis action is non-final. vance except for formal ma		s is
Disposition of Claims			
4) ☐ Claim(s) 1-19 is/are pending in the application 4a) Of the above claim(s) is/are withdr 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-19 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and	rawn from consideration.		
9) The specification is objected to by the Examir 10) The drawing(s) filed on is/are: a) a		b by the Examiner.	
Applicant may not request that any objection to the	· · ·	-	
Replacement drawing sheet(s) including the corre	•		
11) The oath or declaration is objected to by the I	Examiner. Note the attach	ed Office Action of form PTO-152	<u>2</u> .
Priority under 35 U.S.C. § 119			
a) All b) Some * c) None of:  1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the priority docume application from the International Bure * See the attached detailed Office action for a list	nts have been received. nts have been received in iority documents have bee au (PCT Rule 17.2(a)).	Application No n received in this National Stage	
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08)	Paper No	Summary (PTO-413) (s)/Mail Date Informal Patent Application	

Art Unit: 2445

## **DETAILED ACTION**

## Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.
- 2. Claim(s) 1-19 is/are rejected under 35 U.S.C. 102(a) as being anticipated by U.S. Pre-Grant Publication 2005/0081157 A1 to *Clark et al.* ("*Clark*").

As to **claim 1**, *Clark* disclose(s) an apparatus, comprising:

a graphical user interface (*Clark*; Fig. 4a) providing a link to network related measurements (*Clark*; [0034] viewing performance aspects of network entities) by network analysis devices (*Clark*; Fig. 4a; 90c, 90d, 90e, 90f; devices on the network that are analyzed), to present a test (*Clark*; Fig. 4a; 90a; a graph of the performance of devices, which shows the overall and individual performance of the devices combined into a single view) including perceptibly correlated network-related measurements by two or more of the network analysis devices through a selectable graphical display of the network analysis devices, and a selectable graphical display of at least one network-related measurement for each selected network analysis device. (*Clark*; Fig. 4a; 54; graphical tree of selectable devices)

As to **claim 2**, *Clark* disclose(s) an apparatus, wherein the network analysis devices are heterogeneous, (*Clark*; [0035] "may manage both

Art Unit: 2445

homogeneous and non-homogeneous entities") and the graphical user interface presents as the perceptible correlation correlated graphs of network-related measurements from the heterogeneous devices as a heterogeneous test, thereby allowing a new measurement of two or more network segments including the heterogeneous devices. (*Clark*; Fig. 4a; 90a; a graph of the performance of devices, which shows the overall and individual performance of the devices combined into a single view)

Page 3

As to **claim 3**, *Clark* disclose(s) an apparatus, wherein the graphical user interface displays a vertically oriented window, and displays in the window a hierarchical icon control tree of selectable parent-child icons corresponding, respectively, to the test and the network analysis device for the test. (*Clark*; Fig. 4a; 54; graphical tree of selectable devices)

As to **claim 4**, *Clark* disclose(s) an apparatus, wherein child icons of the test parent icon correspond to a test results summary, to a test configuration, and to the test network analysis devices that each include child icons corresponding to results of the at least one measurement from each network analysis device and to a configuration of each network analysis device. (*Clark*; Fig. 7b; 54; graphical tree of selectable devices has child icons 126a, 126b, 126c -- each corresponding to viewable measurements)

As to **claim 5**, *Clark* disclose(s) an apparatus, wherein a selectable parent icon of the tree corresponds to real-time measurement collections from the network analysis devices to be added into the test. (*Clark*; [0012]; the system

Art Unit: 2445

monitors: CPU utilization, memory utilization, server requests/second; these are all real-time measurements)

As to **claim 6**, *Clark* disclose(s) an apparatus, wherein a selectable parent icon of the tree corresponds to the network analysis devices to launch a graphical user interface to manage the network analysis devices for the test.

(*Clark*; 4b; 90c; is a parent icon that corresponds to a devices to be analyzed in the graph 94a; a browser is launched for a particular resource when the resource is selected [0056])

As to **claim 7**, *Clark* disclose(s) an apparatus, wherein the at least one network-related measurement for each selected network analysis device is an existing collection of network-related measurements. (*Clark*; [0012]; the system monitors a collection of the following: CPU utilization, memory utilization, server requests/second.)

As to **claim 8**, *Clark* disclose(s) an apparatus, wherein the selectable graphical display of the network analysis devices comprises graphical tab dialogues of analysis device selection, analysis device configuration, analysis device measurement selection, and analysis device measurement configuration, allowing selection and configuration of analysis devices added into the test.

(*Clark*; tabbed inputs 130b and 130c provide a user with more options; [0063])

As to **claim 9**, *Clark* disclose(s) an apparatus, wherein the measurement results are visually correlated according to parameters selected from a time line, a threshold, and a trend. ([0061] threshold, Fig. 4a; 90a; See graph timeline and

Art Unit: 2445

trend – graphs are visual representations of conditions over time and are used for analyzing trends, i.e. time of day with highest load can be spotted)

Page 5

As to **claim 10**, *Clark* disclose(s) an apparatus, wherein the selectable graphical display of the network analysis devices comprises a list of available network analysis devices, (*Clark*; Fig. 4a; 54; graphical tree of selectable devices) a list of network analysis devices added into the test, (*Clark*; Fig. 4a; 90g; list of devices) and selection and removal graphical display buttons to add and remove (*Clark*; Fig. 4a; 90j, 90k; add remove buttons) an available network analysis device to/from the list of added network analysis devices.

As to **claim 11**, *Clark* disclose(s) an apparatus, wherein the selectable graphical display of the at least one network-related measurement comprises a list of available network-related measurements for each network analysis device in the list of added network analysis devices. (*Clark*; Fig. 7b; 54; graphical tree of selectable devices has child icons 126a, 126b, 126c -- each corresponding to viewable measurements)

As to **claim 12**, *Clark* disclose(s) an apparatus, wherein the selectable graphical display of the at least one network-related measurement comprises selectable graphical displays of measurement configurations for each network analysis device measurement. (*Clark*; Fig. 7b; 54; graphical tree of selectable devices has child icons 126a, 126b, 126c -- each corresponding to viewable measurements)

Art Unit: 2445

As to **claim 13**, *Clark* disclose(s) an apparatus, wherein the perceptibly correlated network-related measurements are visual correlations as a top-level test view of the test and selectable to navigate to lower test levels of detailed network-related measurement views of each network analysis device. (*Clark*; Fig. 4a, 90i, each measurement may be selected)

Page 6

As to **claim 14**, *Clark* disclose(s) an apparatus, wherein a selectable parent icon of the tree corresponds to a test manager managing a plurality of tests and including a plurality of child test icons. (*Clark*; Fig. 7b; 54; graphical tree of selectable devices has child icons 126a, 126b, 126c -- each corresponding to viewable measurements)

As to **claim 15**, *Clark* disclose(s) an apparatus, wherein the perceptibly correlated network-related measurements are visual correlations (*Clark*; Fig. 4a; 90a; a graph of the performance of devices, which shows the overall and individual performance of the devices combined into a single view) and the graphical user interface presents a plurality of tests according to a time line as visually aggregated test results for each test and each aggregated test result (*Clark*; [0029] aggregated information) is selectable (*Clark*; Fig. 4a, 90i, each measurement may be selected) in each time line time period to navigate to each test as the visually correlated network-related measurements at each time period in the time line.

As to **claim 16**, *Clark* disclose(s) an apparatus, wherein the graphical user interface comprises:

Art Unit: 2445

a test manager managing creation, update and deletion of the test, an agent manager managing creation, selection, and removal of the network analysis devices in the test; (*Clark*; Fig. 4a; [0054] create a new application, and delete a selected application)

an agent network interface configuration manager managing selection and configuration of network interfaces a network analysis device added in the test; and (*Clark*; [0026] includes a entity configuration interface; See also [0035])

an agent measurement configuration manager managing selection, configuration, and removal of a network-related measurement on a selected network interface for the network analysis device added in the test. (*Clark*; Fig. 4a; 90j, 90k; add remove buttons used to add and remove measurements)

As to **claim 17**, *Clark* disclose(s) a distributed computer network system, comprising:

a plurality of heterogeneous computer agents on a network and performing heterogeneous network-related measurements; and (*Clark*; [0035] "may manage both homogeneous and non-homogeneous entities")

an apparatus in communication with the heterogeneous computer agents on the network and providing a graphical user interface (*Clark*; Fig. 4a) providing a link to the heterogeneous network-related measurements (*Clark*; [0034] viewing performance aspects of network entities) to manage a heterogeneous test including a visual correlation of one or more heterogeneous network-related measurements from two or more of the heterogeneous computer agents. (*Clark*;

Art Unit: 2445

Fig. 4a; 90a; a graph of the performance of devices, which shows the overall and individual performance of the devices combined into a single view)

As to **claim 18**, *Clark* disclose(s) a computer in network communication with computer agents providing network related measurements, the computer comprising:

a programmed computer processor providing a graphical user interface (*Clark*; Fig. 4a) to a test as a collection of correlated one or more computer agent measurements from two or more computer agents. (*Clark*; Fig. 4a; 90a; a graph of the performance of devices, which shows the overall and individual performance of the devices combined into a single view)

As to **claim 19**, *Clark* disclose(s) a method, comprising:

presenting a selectable graphical display of known heterogeneous network analysis devices on a network to add into a test; (*Clark*; Fig. 4a; 54; graphical tree of selectable devices)

presenting a selectable graphical display of known network-related measurements corresponding to each selected network analysis device; (*Clark*; Fig. 7b; 54; graphical tree of selectable devices has child icons 126a, 126b, 126c -- each corresponding to viewable measurements)

presenting a graphical user interface to the test by displaying a visual correlation of the selected network-related measurements from the heterogeneous network analysis devices. (*Clark*; Fig. 4a; 90a; a graph of the

Art Unit: 2445

performance of devices, which shows the overall and individual performance of the devices combined into a single view)

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to BRYAN LEE whose telephone number is (571)270-5606. The examiner can normally be reached on 9/4/5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Larry Donaghue can be reached on 571-272-3962. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/B. L./ Examiner, Art Unit 2445

Art Unit: 2445

/VIVEK SRIVASTAVA/ Supervisory Patent Examiner, Art Unit 2445